



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

The following is the latest report on plague in Peru received from the Director de Salubridad:

Locality.	Cases Aug. 1.	New.	Recov- ered.	Died.	Remaining, Aug. 7.
Lima	3	2	1
Callao	2	1	3
Chosica	1	1
Trujillo	15	9	2	6	16
Chiclayo	2	2
Piura	5	1	4
Querecotillo	1	1

PHILIPPINE ISLANDS.

Reports from Manila—Inspection of vessels.

Chief Quarantine Officer Heiser reports, July 10 and 19:

Week ended July 13, 1907. No quarantinable diseases reported in the city of Manila.

No consular bills of health issued at Manila to vessels proceeding to the United States or its insular possessions.

Week ended July 6, 1907. No quarantinable disease reported for the city of Manila.

Consular bills of health issued as follows:

On July 2 the German steamship *Christiana*, with 44 crew and 1 cabin passenger, en route to Marseille via Cebu, was granted a supplemental bill of health.

On July 6 the German steamship *Fiume*, with 34 crew, en route from Veclono, Labuan, to Iloilo, was granted a supplemental bill of health.

WEST INDIES.

Reports from Castries, St. Lucia Island—Sanitary conditions.

Acting Assistant Surgeon Maylie reports, August 6 and 13:

Week ended August 3, 1907. The sanitary condition of Castries is good. No quarantinable diseases exist.

Week ended August 10, 1907. Sanitary condition of this port and vicinity, very good. No quarantinable diseases exist.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

AFRICA—*Lourenço Marquez*.—Month of June, 1907. Estimated population, 10,000. Total number of deaths, 56, including smallpox 7, beriberi 1, and 6 from tuberculosis.

ALGERIA—*Algiers*.—Month of July, 1907. Estimated population, 155,000. Total number of deaths, 284, including 1 from enteric fever, 19 from measles, 5 from smallpox, and 51 from tuberculosis.

BRAZIL—*São Paulo, Santos, and Campinas*.—Week ended July 7, 1907. Estimated population, 300,000. Total number of deaths, 183, including enteric fever 2, measles 1, whooping cough 2, and 12 from tuberculosis.

Week ended July 14, 1907. Total number of deaths, 194, including enteric fever 2, whooping cough 2, and 16 from tuberculosis.

San Salvador.—Month of January, 1907. Estimated population, 265,000. Total number of deaths, 394, including enteric fever 1, beriberi 5, plague 13, whooping cough 6, and 51 from tuberculosis. Month of February, 1907. Total number of deaths, 378, including enteric fever 1, beriberi 1, plague 10, smallpox 1, whooping cough 1, and 54 from tuberculosis. Month of March, 1907. Total number of deaths, 442, including enteric fever 3, beriberi 8, plague 1, whooping cough 1, and 60 from tuberculosis.

CUBA—*Cardenas*.—Months of May and June, 1907. Estimated population, 28,218. Total number of deaths, 193, including diphtheria 1, enteric fever 1, and 17 from tuberculosis.

Matanzas.—Ten days ended July 29, 1907. Estimated population, 49,990. Total number of deaths, 39, including 1 from tuberculosis.

Sagua la Grande.—Two weeks ended August 10, 1907. Estimated population, 22,634. Total number of deaths, 16.

FRANCE—*Cherbourg*.—Month of July, 1907. Estimated population, 43,948. Total number of deaths, 55, including diphtheria 1, enteric fever 2, measles 1, scarlet fever 1, and 11 from tuberculosis.

Marseille.—Month of July, 1907. Estimated population, 517,498. Total number of deaths, 961, including diphtheria 1, enteric fever 33, measles 9, scarlet fever 2, smallpox 98, whooping cough 2, and 124 from tuberculosis.

St. Etienne.—Two weeks ended July 15, 1907. Estimated population, 150,000. Total number of deaths, 104, including diphtheria 1, enteric fever 2, measles 1, and 17 from tuberculosis.

GERMANY—*Weimar*.—Month of July, 1907. Estimated population, 31,127. Total number of deaths, 51, including diphtheria 1 and 8 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended August 3, 1907, correspond to an annual rate of 11.7 per 1,000 of population, which is estimated at 16,024,458.

London.—One thousand and fifty-two deaths were registered during the week, including measles 46, scarlet fever 13, enteric fever 3, diphtheria 11, whooping cough 27, tuberculosis 132, and 18 from diarrhea. The deaths from all causes correspond to an annual rate of 11.5 per 1,000. In Greater London 1,511 deaths were registered. In the "outer ring" the deaths included 4 from measles, 4 from scarlet fever, 4 from diphtheria, and 12 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended August 3, 1907, in the 21 principal town districts of Ireland was 16.5 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Sligo,

viz, 4.8, and the highest in Waterford, viz, 23.4 per 1,000. In Dublin and suburbs 138 deaths were registered, including diphtheria 2, measles 6, whooping cough 4, and 28 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended August 3, 1907, correspond to an annual rate of 12.8 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Dundee, viz, 17.3, and the lowest in Leith, viz, 10 per 1,000. The aggregate number of deaths registered from all causes was 445, including diphtheria 4, enteric fever 1, measles 6, scarlet fever 2, and 12 from whooping cough.

GREAT BRITAIN—England and Wales.—The deaths registered in 76 great towns in England and Wales during the week ended August 10, 1907, correspond to an annual rate of 11.8 per 1,000 of population, which is estimated at 16,024,458.

London.—One thousand and ninety-seven deaths were registered during the week, including measles 36, scarlet fever 19, diphtheria 11, whooping cough 24, tuberculosis 158, and 24 from diarrhea. The deaths from all causes correspond to an annual rate of 12.0 per 1,000. In Greater London 1,537 deaths were registered. In the "outer ring" the deaths included 6 from measles, 1 from scarlet fever, 2 from diphtheria, and 8 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended August 10, 1907, in the 21 principal town districts of Ireland was 15.5 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Clonmel, viz, 5.1, and the highest in Newtownards, viz, 34.3 per 1,000. In Dublin and suburbs 118 deaths were registered, including diphtheria 1, enteric fever 1, measles 5, whooping cough 1, and 30 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended August 10, 1907, correspond to an annual rate of 13.8 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Greenock, viz, 16.1, and the lowest in Paisley, viz, 8.8 per 1,000. The aggregate number of deaths registered from all causes was 479, including diphtheria 2, enteric fever 3, measles 6, scarlet fever 2, and 30 from whooping cough.

HAWAII—Honolulu.—Month of July, 1907. Census population, 39,306. Total number of deaths, 72, including diphtheria 1, enteric fever 2, plague 1, and 14 from tuberculosis.

ITALY—Genoa.—Month of June, 1907. Estimated population, 273,000. Total number of deaths, 427, including diphtheria 4, enteric fever 2, measles 12, and 42 from tuberculosis.

JAPAN—Formosa.—Four weeks ended July 27, 1907. Estimated population, 3,080,000. Total number of deaths not reported. One death from diphtheria, 11 deaths from enteric fever, and 158 from plague.

MADEIRA—Funchal.—Two weeks ended August 11, 1907. Estimated population, 44,049. Total number of deaths, 50, including enteric fever 1, smallpox 8, and 5 from tuberculosis.

SPAIN—Almeria.—Month of July, 1907. Estimated population, 46,806. Total number of deaths, 119, including diphtheria 1, measles 18, smallpox 8, and 11 from tuberculosis.

Barcelona.—Ten days ended August 10, 1907. Estimated population, 600,000. Total number of deaths, 337, including diphtheria 3, enteric fever 2, scarlet fever 1, whooping cough 1, smallpox 4, and 20 from tuberculosis.

Cadiz.—Month of July, 1907. Estimated population, 69,382. Total number of deaths, 138, including enteric fever 3, measles 1, whooping cough 1, smallpox 5, and 25 from tuberculosis.

Malaga.—Month of July, 1907. Estimated population, 135,000. Total number of deaths, 279, including diphtheria 1, enteric fever 7, and smallpox 6.

Seville.—Month of July, 1907. Estimated population, 148,315. Total number of deaths, 384, including diphtheria 4, enteric fever 2, scarlet fever 6, whooping cough 2, smallpox 4, and 72 from tuberculosis.

Cholera, yellow fever, plague, and smallpox from June 28 to September 6, 1907.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls, through the Department of State, and from other sources.]

[For reports received from December 28, 1906, to June 28, 1907, see PUBLIC HEALTH REPORTS for June 28, 1907.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Ceylon—Point de Galle.....	June 16-22.....		2	
China:				
Amoy.....	June 30-July 6.....			Kulangsu, 8 deaths daily, estimated.
Shanghai.....	Aug. 11.....			Epidemic.
Tientsin.....	Aug. 15.....			Do.
India.....				Burma Province, 1906, 7,872 deaths.
Bombay.....	May 29-July 23.....		14	
Calcutta.....	May 12-July 20.....		431	
Cochin.....	May 4-July 19.....		65	
Kashmir.....	May 11-July 9.....	10,555	6,563	From Nov. 1 to June 29, 16,675 cases and 9,705 deaths.
Madras.....	July 6-26.....		3	
Moulmine.....	May 5-11.....		1	
Rangoon.....	May 12-July 20.....		16	
Japan—Mojil.....	Aug. 20.....	26		
Philippine Islands:				
Manila.....	July 14-20.....	2	2	
Provinces.....				Report of the bureau of health, Philippine Islands, first quarter of the calendar year 1907 gives a grand total of 235 cases and 148 deaths.
Russia:				
Astrachan.....	July 14.....			Present.
Samara, govt. district.....	July 16-Aug. 4.....	35	10	
Saratoff.....	July 14.....			Do.
Straits Settlements:				
Singapore.....	June 9-July 13.....		7	